Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"455"/\$.ccls. and switch\$4 and (rf duplex diplex) and (pure\$mode "pure mode") and (mixed\$mode "mixed mode") and filter\$4 and transmit\$4 and receiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:35
S2	8	switch\$4 and (rf duplex diplex) and (pure\$mode "pure mode") and (mixed\$mode "mixed mode") and filter\$4 and transmit\$4 and receiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:10
S3	7481	"455"/\$.ccls. and switch\$4 and (rf duplex diplex) and filter\$4 and transmit\$4 and receiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:03
S4	239	S3 and (fdd frequency\$division\$duplex\$4) and (tdd time\$division\$duplex\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:27
S5	46	S4 and (3g 2g "third generation" "second generation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:13
S6	16	S4 and (3g "third generation") and (2g "second generation")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/01 17:12
S7	2	dect.ab. and tdd and fdd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 12:28
S8	2	"455"/\$.ccls. and multi\$switch and diplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:34

S9	220	"455"/\$.ccls. and ((rf radio\$frequency "radio frequency") with switch) and diplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 13:57
S10	81	"455"/\$.ccls. and ((rf radio\$frequency "radio frequency") with switch with antenna) and diplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:08
S11	3	"455"/\$.ccls. and (multi\$switch multiswitch).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:09
S12	8	(multi\$switch multiswitch).ab. and (rf radio\$frequency "radio frequency")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:10
S13	123	(multi\$switch multiswitch).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:14
S14	2736	(multiple and position and switch), ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:17
S15	11	S14 and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:11
S16	553	(multiple with position with switch).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:17

S17	6	(multiple with position with switch).ab. and rf	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:20
S18	58	S16 and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:21
S19	21	S16 and frequency and advantage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:32
S20	1603	"455"/\$.ccls. and (multi\$switch "multiple position switch" (multiple with switch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:36
S21		S20 and diplex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:35
S22	60	S20 and diplex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:36
S23	629	"455"/\$.ccls. and (multi\$switch "multiple position switch" (multiple near3 switch))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:36
S24	23	S23 and diplex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:47

S25	156	gaas and (fet "field effect transistors") and (pin near2 diode) and (phase near2 shift\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:59
S26	14531	gaas and (fet "field effect transistors")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:53
S27	1965	(pin near2 diode) and (phase near2 shift\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:53
S28		"455"/\$.ccls. and (adjustable near2 transmi\$6 near2 power) and (directional near2 coupler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:14
S29	66	"455"/\$.ccls. and (transmi\$6 same (protect and (insulator or circulator)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:16
S30	31	"455"/\$.ccls. and (transmi\$6 same (protect same (insulator or circulator)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:37
S31	2569	455/550.1,551,552.1,553.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:37
S32	1458	S31 and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:37

S33	61	S31 and tdd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:37
S34	44	S31 and fdd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 17:37
S35	10	("4091344" "4168479" "5239279" "5239697" "5386203" "5392462" "5406615" "5659598" "5691676" "5884188").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 17:29
S36	8	(US-20020090974-\$).did. or (US-6185434-\$ or US-6272327-\$ or US-6389300-\$ or US-6405025-\$ or US-6459885-\$ or US-6571090-\$ or US-6587444-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/13 17:44
S37	3	S36 and dect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:56
S38	13	dect with fdd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:56